



ER416



Polarprod AB

Hamngatan 30 38540 Bergkvara

polarprod@gmail.com 064042002

Vi jobbar hårt för att vara billigast & bäst i hela Europa



WE RUN TOGETHER WITH YOU !



EVERUN ER416 WHEEL LOADER 4WD

Standard Configuration



Standard bucket, Torque Converter Transmission system, ROPS and FOPS cabin, Quick Hitch, Electric joystick Floating function, Tipping cabin, Adjustable steering Wheel,

Comfortable seat, cabin heater, backward camera, hydraulic-pressure checking system, Engine heater, Wheel- Reducer Axle, Air brake, 23,5/70-16 Agriculture tyre, Lock for lifting and steering cylinder, Parallel linkage system, Free service spare parts.

Optional Configuration

Hydraulic line, LED light, E4 lamp, Varta Anti-Freeze battery 315/80 R225,5 Snow tyre, Tyres Chain, Three-point Hitch, Loading damper, Centralized lubrication system, Loader Weigher, 5 Functions Electric Joystick, Air Conditioner

Technical Parameter



Bucket Capacity	0,64m3	Net Weight	38000Kg
Loading capacity	1600kg	Lifting time	7S
Engine Model	Optional	Wheel Base	2282mm
Max driving speed (I/II)	8/19Km/h	Brake out force	28kn
Service brake	Air over Hudraulic Disc brake on four Wheels	Tyre	23,5/70-16
		Oil flow	72L/min
		Working pressure	17mpa

Polarprod AB

Hamngatan 30 38540 Bergkvara

polarprod@gmail.com 064042002

Vi jobbar hårt för att vara billigast & bäst i hela Europa



WE RUN TOGETHER WITH YOU !



EVERUN ER416 WHEEL LOADER 4WD